	Тур е	Hits	Search Text	DBs		en	De	Er ro rs	Ref
1	BRS	45768	differential near2 amplif\$	1	2005/05/ 06 08:31				S1
2	BRS	87771	reference near2 voltage\$	)	2005/05/ 06 08:32				S2
3	BRS	269958	transistor\$	1	2005/05/ 06 08:32				S3
4	BRS	120	common near2 mode near2 bias near2 voltage\$	1	2005/05/ 05 15:06				S4
5	BRS	352422	invert\$		2005/05/ 05 15:04				S5
6	BRS	354	tail near2 transistor\$	1	2005/05/ 05 15:19				S 6
7	BRS	810969	switch\$	1	2005/05/ 05 15:04				s7
8	BRS	242593	track	1	2005/05/ 05 15:43				S8
9	BRS	0	S1 and S2 and S3 and S4 and S5 and S6 and S7 and S8	1	2005/05/ 05 15:07	1			S9
10	BRS	3293	common near2 mode near2 voltage\$	1	2005/05/ 06 08:32	I .			S10
11	BRS	17	S1 and S2 and S3 and S10 and S5 and S6 and S7 and S8		2005/05/ 05 15:17				S11
12	BRS	6548	offset near2 compensat\$	1	2005/05/ 06 08:34	1			S12

	Тур	Hits	Search Text	DBs	Time Stamp	en	Er ro r De fi ni ti on	Er ro rs	Ref #
13	BRS	0	S11 and S12	USPA T	2005/05/ 05 15:17	i			S13
14	BRS	0	S1 and S2 and S3 and S10 and S6 and S7 and S8 and S12	1	2005/05/ 05 15:20				S14
15	BRS	7352	offset\$ near2 compensat\$	l .	2005/05/ 05 15:18	l			S15
16	BRS	84837	tail		2005/05/ 05 15:19	i			S16
17	BRS	1	S1 and S2 and S3 and S10 and S16 and S7 and S8 and S15	1	2005/05/ 05 15:22	I			S17
18	BRS	144	S1 and S2 and S3 and S10 and S7 and S8	USPA T	2005/05/ 05 15:30	1			S18
19	BRS	11	S18 and S15		2005/05/ 05 15:31				S19
20	BRS	11672	reference near2 input near2 voltage\$	USPA T	2005/05/ 06 08:32	1			S20
21	BRS	28465	push near2 pull\$	USPA T	2005/05/ 06 08:33				S21
22	BRS	27	track\$ near2 common near2 mode near2 voltage\$	l .	2005/05/ 06 08:34		·		S22
23	BRS	17	S1 and S3 and S22	USPA T	2005/05/ 05 16:01				S24

	Тур е	Hits	Search Text	DBs	Time Stamp	en	De	Er ro rs	Ref #
24	BRS	50	"5548227" "5673047" "5684393"		2005/05/ 05 17:20				S25
25	BRS	46569	hutnut near2 stageS	i i	2005/05/ 05 17:23	l			S26
26	BRS	87	isi and szu and si and siu and szni		2005/05/ 05 17:26				s27
27	BRS	875631	hushs or nulls	1	2005/05/ 05 17:26	1			S28
28	BRS	35	S27 and S28	I .	2005/05/ 06 06:49				S29
29	IS& R	1	1/"4937476") PN	1	2005/05/ 06 06:49				s30

	Тур е	L #	Hits	Search Text	DBs	Time Stamp	mm en	Err or Def ini tio	Er
1	BRS	L1	45828	differential near2 amplifier	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/ 06 08:32	ı		
2	BRS	L2	10537 8	reference near2 voltage	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/ 06 08:32	I		
3	BRS	L3	48996 7	transistor or transistors	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/ 06 08:32			
4	BRS	L4	1980	common near2 mode near2 voltage	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/ 06 08:32			
5	BRS	L5	1/460	reference near2 input near2 voltage	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/ 06 08:33			
6	BRS	L6	3699	((push near2 pull) or complimentary) near2 output	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/ 06 08:34			
7	BRS	ь7	5604	offset near2 compensat\$	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/ 06 08:34	1		

	Тур е	L #	Hits	Search Text	DBs	Time Stamp	mm en	Err or Def ini tio	Er
8	BRS	L8	11	litrack or tracking or	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/ 06 08:35			
9	BRS	L9	4	1 and 2 and 8	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/ 06 08:41	1		
10	IKKS	L1 0	0	1 and 2 and 3 and 4 and 5 and 6 and 7	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/ 06 08:42			
11	BRS	L1 1	11	1 and 2 and 3 and 4 and 5 and 7	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/ 06 08:42			